


Easy-Lift®

Package Lift Stations

SIMPLEX - SUBMERSIBLE SOLIDS-HANDLING



QTY	DESCRIPTION	QTY	DESCRIPTION
1	Model _____ Submersible Solids-Handling Pump*	1	Guiderail Base Elbow (cast iron)
	Rated Capacity: _____ GPM at _____ Feet TDH	1	Upper Guiderail Mounting Bracket (SS)
	_____ RPM, _____ HP, _____ HZ, _____ VOLTS	1	Guiderail(s) (SS) (Single "V" bar for 3" pumps / Dual guide pipes for 4" pumps)
1	Fiberglass Basin w/ Lifting Lugs (4) and Anti-Flotation Flange	1	Pump Lifting Chain* (SS)
1	Basin Cover (3)	1	Discharge Pipe: _____ PVC _____ DI _____ SS _____ Galv. Stl.
1	2" Electrical Fitting*	1	Check Valve (cast iron)
1	Duplex NEMA 4X Junction Box and fittings*	1	Plug Valve (cast iron)
1	Level Control Bracket (SS)*	1	Link Seal
3	Level Control Switch*	1	Vent (Mushroom Type)*
1	Inlet Fitting (Adapt-A-Flex)* Size: _____ 4" _____ 6"		


Notes and Clarifications:

- 1- Fill in all blanks and mark desired Inlet Fitting size.
- 2- Items marked with asterisk (*) are shipped loose for field installation.
- 3- Hinged type cover illustrated. Solid fiberglass type optional on basins 72" diameter and smaller.

Easy-Lift®

Package Lift Stations

SIMPLEX - SUBMERSIBLE SOLIDS-HANDLING with VALVE BOX



QTY	DESCRIPTION	QTY	DESCRIPTION
1	Model _____ Submersible Solids-Handling Pump*	1	Guiderail Base Elbow (cast iron)
	Rated Capacity: _____ GPM at _____ Feet TDH	1	Upper Guiderail Mounting Bracket (SS)
	_____ RPM, _____ HP, _____ HZ, _____ VOLTS	1	Guiderail(s) (SS) (Single "V" bar for 3" pumps / Dual guide pipes for 4" pumps)
1	Fiberglass Basin w/ "D" type attached Valve Box, including Lifting Lugs (4) and Anti-Flotation Flange	1	Pump Lifting Chain* (SS)
1	_____ Basin Cover (3)	1	Discharge Pipe: _____ PVC _____ DI _____ SS _____ Galv. Stl.
1	2" Electrical Fitting*	1	Check Valve (cast iron)
1	NEMA 4X Junction Box and fittings*	1	Plug Valve (cast iron)
1	Level Control Bracket (SS)*	2	Link Seal
3	Level Control Switch*	1	Vent (Mushroom Type)*
1	Inlet Fitting (Adapt-A-Flex)* Size: _____ 4" _____ 6"	1	Valve Box Drain & Check Valve Assembly


Notes and Clarifications:

- 1- Fill in all blanks and mark desired Inlet Fitting size.
- 2- Items marked with asterisk (*) are shipped loose for field installation.
- 3- Hinged type cover illustrated. Solid fiberglass type optional on basins 72" diameter and smaller.

Easy-Lift®

Package Lift Stations

DUPLEX - SUBMERSIBLE SOLIDS-HANDLING




QTY	DESCRIPTION	QTY	DESCRIPTION
2	Model _____ Submersible Solids-Handling Pump*	2	Guiderail Base Elbow (cast iron)
	Rated Capacity: _____ GPM at _____ Feet TDH	2	Upper Guiderail Mounting Bracket (SS)
	_____ RPM, _____ HP, _____ HZ, _____ VOLTS	2	Guiderail(s) (SS) (Single "V" bar for 3" pumps / Dual guide pipes for 4" pumps)
1	Fiberglass Basin w/ Lifting Lugs (4) and Anti-Flotation Flange	2	Pump Lifting Chain* (SS)
1	_____ Basin Cover (3)	2	Discharge Pipe: _____ PVC _____ DI _____ SS _____ Galv. Stl.
1	2" Electrical Fitting*	2	Check Valve (cast iron)
1	NEMA 4X Junction Box and fittings*	2	Plug Valve (cast iron)
1	Level Control Bracket (SS)*	1	Link Seal
4	Level Control Switch*	1	Vent (Mushroom Type)*
1	Inlet Fitting (Adapt-A-Flex)* Size: _____ 4" _____ 6"		

Notes and Clarifications:

- 1- Fill in all blanks and mark desired Inlet Fitting size.
- 2- Items marked with asterisk (*) are shipped loose for field installation.
- 3- Hinged type cover illustrated. Solid fiberglass type optional on basins 72" diameter and smaller.

Easy-Lift® Package Lift Stations

DUPLEX - SUBMERSIBLE SOLIDS-HANDLING with VALVE BOX



QTY	DESCRIPTION	QTY	DESCRIPTION
2	Model _____ Submersible Solids-Handling Pump*	2	Guiderail Base Elbow (cast iron)
	Rated Capacity: _____ GPM at _____ Feet TDH	2	Upper Guiderail Mounting Bracket (SS)
	_____ RPM, _____ HP, _____ HZ, _____ VOLTS	2	Guiderail(s) (SS) (Single "V" bar for 3" pumps / Dual guide pipes for 4" pumps)
1	Fiberglass Basin w/ "D" type attached Valve Box; including Lifting Lugs (4) and Anti-Flotation Flange	2	Pump Lifting Chain* (SS)
1	_____ Basin Cover (3)	2	Discharge Pipe: _____ PVC _____ DI _____ SS _____ Galv. Stl.
1	2" Electrical Fitting*	2	Check Valve (cast iron)
1	NEMA 4X Junction Box and fittings*	2	Plug Valve (cast iron)
1	Level Control Bracket (SS)*	3	Link Seal
4	Level Control Switch*	1	Vent (Mushroom Type)*
1	Inlet Fitting (Adapt-A-Flex)* Size: _____ 4" _____ 6"	1	Valve Box Drain & Check Valve Assembly

Notes and Clarifications:

- 1- Fill in all blanks and mark desired Inlet Fitting size.
- 2- Items marked with asterisk (*) are shipped loose for field installation.
- 3- Hinged type cover illustrated. Solid fiberglass type optional on basins 72" diameter and smaller.